

Model #: WB940371

EXCLUSIVE BRANDS

## Global Industrial™ Safety Railing, 4'L, Yellow

★★★★★ (4) | Questions & Answers (0)

[View All Global Industrial™ Safety Railings](#)

### Purchase Information

Ideal for directing personnel or traffic flow. Heavy-duty 1-5/8" diameter 42" high steel pipe frame with

[See more details](#)

Easy online or call-in returns. [Read return policy](#)



## Product Description

### 48"L Safety Railing

Ideal for directing personnel or traffic flow. Heavy-duty 1-5/8" diameter 42" high steel pipe frame with mid-rail for rigidity. For permanent installations, order single or double sockets to form a straight row or angles up to 10 degrees to create a curved barricade. Use free standing base with or without casters for portability. Long lasting safety yellow finish.

## Specifications

### Weights & Dimensions

	48 in
	1 in
	42 in

	1-5/8 in
Middle Rail Height	21 in

### Product Details

	No
	Safety Railing
	Yellow
	Anchored to Floor

	Steel
	Safety Railing
	940371
	Global Industrial

## Compliance & Certifications

Certifications	OSHA 1926
----------------	-----------

---

---

## Related Products



---

## Related Items

global industrial machinery


mesh panel


global industrial bumper

---

## Related Categories

polished brass wall flanges





Model #: WB703630YL MPN #: WLFS0210-Y

## 10 Step Steel Walk Through With Handrails Fixed Access Ladder, Yellow - WLFS0210-

Ideal for access to roof, mezzanine or loading dock. Rungs are 18" wide x 3/4" diameter solid steel, spaced 12" apart. Sturdy 2-1/2" x 3/8" flat steel side rails and 7" stand off brackets. With the new and improved design, fixed ladders now ship boxed instead of fully welded for freight savings. Walk

### See more details

Easy online or call-in returns. [Read return policy](#)

## Product Description

Ideal for access to roof, mezzanine or loading dock. Rungs are 18" wide x 3/4" diameter solid steel, spaced 12" apart. Sturdy 2-1/2" x 3/8" flat steel side rails and 7" stand off brackets. With the new and improved design, fixed ladders now ship boxed instead of fully welded for freight savings. Walk Through Ladders have 44"H handrails meet strict CAL OSHA regulations at top for easy access and exit; ideal for mounts to roof top.

**Note: Fixed Access Ladders are available with optional guards. Please call for more details.**



## Specifications

### Weights & Dimensions

Weight Capacity	350 lbs
Weight	160 lbs

Height to Top Step/Platform	9 ft
-----------------------------	------

### Product Details

Assembly Required	Yes
Type	Uncaged
Number of Steps	10
Color	Yellow

Material	Steel
Manufacturers Part Number	WLFS0210-Y
Brand	Tri-Arc

## Compliance & Certifications

Certifications	ANSI & OSHA
----------------	-------------

---

